

GENERAL INFORMATION

4. Non-Standard Equipment:

Lamps, fixtures and other equipment not specifically listed in this schedule shall not be provided by the Company. The customer may consider installing such lamps, fixtures and other equipment for metered service pursuant to Schedule P.S.C. No. 120 – Electricity or superseding issues thereof.

5. Company Maintenance:

Except as provided in Service Classification Nos. 2 and 3 herein, Company maintenance shall not be furnished for any street lighting facilities (lamps, luminaire, poles, street lighting circuitry including conduit and related facilities) which are not owned by the Company.

6. Customer Requested Conversion of Existing Lighting:

For Company owned lighting, conversion from incandescent or fluorescent light sources to high pressure sodium or metal halide light sources shall be made at the Company's expense. For conversions from mercury light sources to more efficient light sources with equal or increased illumination, where the luminaires have been in service 15 or more years, the alteration and/or conversion of such luminaires shall also be at the Company's expense. However, where the present mercury vapor luminaires have been in service for less than 15 years, or where the customer wishes to decrease illumination by more than 25% for any type of luminaire, the customer shall reimburse the Company the original cost of such facility removed less accrued depreciation and net salvage (cost of removal less salvage) value of such facility as determined by the Company. In any case of such system conversions, the Company shall not be obligated to replace in any calendar year, for any customer, more than 5% of its existing number of street lighting luminaires.

For Company-owned lighting converting from any light source to LED, refer to Special Provision Rule H in Service Classification No. 3 of this Schedule.